



Reedy River
Water Quality Group

TreesUpstate

ReWa
renewable water resources


UPSTATE
FOREVER



FRIENDS OF THE REEDY RIVER

FREE TREE GIVEAWAY

Help reforest our watershed by planting free
bareroot trees in your yard!



FEB. 25-26

REWA & TRAILBLAZER PARK

FRIDAY 3-6 PM | SATURDAY 9AM-12PM

Limit 4 trees/household. Trees are first come, first serve
bald cypress, tulip poplar, overcup oak, & swamp chestnut oak.

FRIENDSOFTHEREEDYRIVER.ORG/EVENTS

PRESENTED BY



TREES PROVIDED BY



FREE TREES!



HELP REFOREST OUR WATERSHED!

We will have baldcypress, tulip poplar, overcup oak, and swamp chestnut oak bareroot saplings available. They will be approximately 12-36 inches tall.

ReWa Campus
564 Mauldin Road, Greenville, SC

Trailblazer Park
235 Trailblazer Drive, Travelers Rest, SC

**TO KNOW MORE, VISIT OUR WEBSITE AT
FRIENDSOFTHEREEDYRIVER.ORG/EVENTS**

PLANTING A BARE ROOT TREE

1. Soak tree roots in water for 3–6 hours.
2. Dig a wide and shallow hole. **Width:** Hole should be 3x the width of the root ball. **Depth:** The root flare should be planted at or slightly above ground level. Build a mound at the base of the hole and spread out the roots across the mound. Remove any roots circling around the trunk.
3. Backfill with original soil to 2/3 full. In the top 1/3 section, mix in 10% – 20% of amendment, topsoil and organic material. Water around the root ball to settle the soil.
4. Mulch wide, to the dripline if possible. Keep mulch away from the trunk. Mulch should be 2" – 4" deep. Create a berm to catch rain water. Deconstruct the berm after one year.
5. Remove all tags and nursery stakes. Stake the tree if necessary. Use stakes and a flexible material, like arbutic. Remove staking after one year.
6. Water in the tree at the time of planting. Water regularly for the first 2 years. See watering guidelines.

